

Portable 3G/4G Wireless N Router

Pocket-sized for Travel-Ready Wi-Fi









Specifications

Hardware

- · Ports: 1 10/100Mbps WAN/LAN Port, 1 USB 2.0 Port, 1 Micro USB Port
- · Buttons: WPS/Reset Button, Mode Switch
- · Antennas: Internal Antennas
- · External Power Supply: 5VDC/1A
- · Dimensions (W x D x H): 2.9× 2.6×0.9 in. (74×67×22mm)



Wireless

- · Wireless Standards: IEEE 802.11b/g/n
- · Frequency: 2.4GHz
- · Signal Rate: 300Mbps
- · Transmit Power: < 20dBm
- · Reception Sensitivity:

2.4GHz:

270M: -70dBm@10% PER

130M: -73dBm@10% PER

108M: -74dBm@10% PER

54M: -75dBm@10% PER

11M: -86dBm@8% PER

6M: -92dBm@10% PER

1M: -95dBm@8% PER

- · Wireless Function: Enable/Disable Wireless Radio, WMM, Wireless Statistics
- · Wireless Security: 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK encryptions

Specifications

Software

- · Quality of Service: WMM, Bandwidth Control
- · WAN Type: Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)
- · Management: Access Control, Local Management, Remote Management
- · DHCP: Server, DHCP Client List, Address Reservation
- · Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ
- · Dynamic DNS: DynDns, NO-IP
- · Access Control: Parental Controls, Local Management Control, Host List, White List, Black List
- · Firewall Security: DoS, SPI Firewall, IP and MAC Address Binding
- · Protocols: IPv4, IPv6
- · Guest Network: 2.4GHz guest network



For more information, please visit

http://www.tp-link.com/en/products/details/TL-MR3020.html

or scan the QR code left

Attention: This device may only be used indoors in all EU member states and EFTA countries. Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright ©2017 TP-Link Technologies Co., Ltd. All rights reserved.

Others

· Certification:

CE, RoHS

· System Requirements:

Microsoft Windows 98SE/NT/2000/XP/Vista™/7/8/8.1/10, MAC OS, NetWare, UNIX or Linux

Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser

Environment:

Operating Temperature: 0° C \sim 40 $^{\circ}$ C (32 $^{\circ}$ F \sim 104 $^{\circ}$ F) Storage Temperature: -40°C~70°C (-40°F ~158°F)

Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

Package Contents

3G/4G Portable Wireless N Router TL-MR3020

Ethernet Cable

USB Cable

Quick Installation Guide